

PANELS

High Tensile steel adds superior strength and durability which is 66% stronger than most common steel panels



Photo courtesy of Dutch Joe Ranch

Classic 64-inch Panels

Legendary in strength and backed by a Classic Five Year Limited Warranty, Powder River's Classic Panels are made from 14-gauge High Tensile Steel formed into our exclusive "Pentagonal Rail." These rails are surrounded with a 13-gauge frame, making them strong durable panels with an amazing ability to take large amounts of pressure and spring back into their original shape. Vertical stays on both sides of the panel increase the panel strength. Recommended for high-pressure applications, these panels will outlast any commercial steel panel on the market today.

CLASSIC PANEL SPECIFICATIONS

Height Overall 64"
 Frame 1.66" O.D. 13-gauge Tube
 5 Pentagonal horizontal rails
 14-gauge High Tensile Steel material

Order No.	Description	No. Stays	Weight
022-00006	6' Classic Panel	0	73 lbs.
022-00008	8' Classic Panel	1	98 lbs.
022-00010	10' Classic Panel	1	116 lbs.
022-00012	12' Classic Panel	2	145 lbs.
022-00014	14' Classic Panel	2	164 lbs.
022-00016	16' Classic Panel	3	189 lbs.

HIGH TENSILE STEEL

Why Buy Classic Gates and Panels?

1. Classic Pentagonal Rail and Vertical Stay are made of 14-gauge High Tensile Steel which is 66% stronger than mild steel which is used in most tube gates and panels on the market today.
2. The engineered superior design of the pentagonal open rails and formed stays adds substantial strength and durability.
3. The design and engineering of our "classic" line of gates and panels gives us the confidence to extend an unsurpassed 5 year limited warranty.





1600 Tube Panels

The 1600 Series Tube Panels are the ideal all-purpose panel for use in portable or permanent situations. The recent change to square corners gives you the flexibility to use these panels for cattle and horses. The 1600 Tube Panels have the same 14-gauge vertical supports that we use on our classic line, separating this 16-gauge tube panel from the rest.

POWDER RIVER 1600 TUBE PANELS — ALL PANELS ARE NOT CREATED EQUAL

- Rails are inserted between two or four 14 gauge high tensile vertical stays, which are 60% stronger than common steel, separating this panel from other brands
- Connects to all other styles of Powder River panels which allows you to connect to your current Powder River equipment
- Great all purpose panel, works for cattle or horses

1600 TUBE PANEL SPECIFICATIONS

Height Overall	64"
Horizontal Rails (6)	1.66" O.D. 16-gauge Tube
Connector Pins	5/8" x 12"
Legs	12"

Order No.	Description	No. Stays	Weight
021-01108	8' Tube Panel	1	72 lbs.
021-01110	10' Tube Panel	1	86 lbs.
021-01112	12' Tube Panel	1	99 lbs.
021-01114	14' Tube Panel	2	118 lbs.
021-01116	16' Tube Panel	2	131 lbs.



Super Classic Bull Panels

SUPER CLASSIC BULL PANEL SPECIFICATIONS

Overall Height	70"	Order No.	Description	Weight
Legs	10" High	022-00103	3' Panel	48 lbs.
Frame	1.66" O.D. 13-gauge Tube	022-00104	4' Panel	57 lbs.
Horizontal Rails, Pentagonal		022-00106	6' Panel	76 lbs.
14-gauge, High Strength		022-00108	8' Panel	101 lbs.
Vertical Stays (Quantity)-		022-00110	10' Panel	120 lbs.
8' & 10' (1), 12' & 14' (2), 16' (3)		022-00112	12' Panel	145 lbs.
		022-00114	14' Panel	164 lbs.
		022-00116	16' Panel	189 lbs.

Super Classic Bull Panels (left)

Powder River's Super Classic Bull Panels are not just for rodeos anymore. Today's cattle breeds are taller than ever and need the extra height that the Super Classic provides. These panels are 70" tall which is 6" taller than our standard Classic Panels. Super Classic Panels include the same number of 14-gauge rails, 13-gauge frame, same 14-gauge vertical supports as 64" Classic Panels and will connect to them as well. The difference is the square corners and the extra height. Super Classic Bull Bow Gates are available to match up to the 70" Super Classic Panels.

GATES



Classic 52-inch Gate with Lever Latch

Made to the same heavy-duty specifications as our Classic Panels, and featuring the same Classic Five-Year Limited Warranty, this gate is a must for crowding situations. Like the Classic Panels, this gate can withstand large amounts of pressure and spring back to its original shape. The hinge is another key ingredient in the formula for strength. Made of 1/4-inch x 3-inch steel, these 180-degree hinges can be mounted to wood or welded to steel posts. A double-piston lever latch provides opening ease while on the ground or on horse back.

CLASSIC 52" LEVER LATCH GATE SPECIFICATIONS

Height Overall 52"
 Frame 1.66" O.D. Tube, 13-gauge
 HORIZONTAL RAILS:
 (5) Pentagonal, 14-gauge High Strength
 Hinges 1/4" x 3", 180° Swing

Order No.	Classic Gate Size (Lth x Hth)	No. Stays	Weight
032-00003	3' x 52"	0	42 lbs.
032-00004	4' x 52"	0	52 lbs.
032-00006	6' x 52"	0	70 lbs.
032-00008	8' x 52"	1	95 lbs.
032 00010	10' x 52"	1	113 lbs.
032-00012	12' x 52"	2	138 lbs.
032 00014	14' x 52"	2	156 lbs.
032-00016	16' x 52"	3	181 lbs.



Boss Gate

BOSS GATES SPECIFICATIONS

2" Tube Gates – 5 Rail

Order No.	Dimensions	Weight
034-11004	4' x 48"	38 lbs.
034-11006	6' x 48"	54 lbs.
034-11008	8' x 48"	74 lbs.
034-11010	10' x 48"	78 lbs.
034-11012	12' x 48"	100 lbs.
034-11014	14' x 48"	116 lbs.
034-11016	16' x 48"	132 lbs.

BOSS FEATURES AND SPECIFICATIONS

- ★ 14 / 16-gauge Construction
- ★ 2" Diameter Tube
- ★ Square Corner design
- ★ 14-gauge Classic Vertical Stays
- ★ Chain Latch
- ★ 2 Sets of Vertical Stays on the 12', 14' and 16'
- ★ 1" x 14" Threaded Rod Hinge
- ★ Collar-Style Hinge rather than a clamp
- ★ Powder Coated Powder Mt. Brown
- ★ Great fit between Classic and 1600 Tube Gates



Gate Wheel Kit

Extend the life of your gate, hinges, posts and back muscles! This semi-pneumatic wheel unit adapts to any gate with a 1.66-inch O.D. frame.

GATE WHEEL KIT SPECIFICATIONS

Order No.	Description
032-03200	6" Gate Wheel Kit
032-03201	8" Gate Wheel Kit
032-03202	10" Gate Wheel Kit
032-03203	12" Gate Wheel Kit
032-03204	Gate Wheel Bracket Only

Bolt on Lever Latch

Convert your chain latch gate to a lever latch with Powder River's new bolt on lever latch assembly. The latch is reversible and allows you to open and close your gate from horseback. Also available for Powder Mountain gates.



BOLT ON LEVER LATCH SPECIFICATIONS

Order No.	Description	Weight
032-03230	52" Bolt on Lever Latch	17 lbs.




Photo by David R. Stoecklein



1600 Tube Gates

The 1600 Series Tube Gates are built to the same tough specifications as the 1600 Tube Panels. Powder River's 1600 Tube Gates come with a choice of our 180 degree steel hinges or our 12" long threaded bolt hinges. These gates are perfect for pasture, lanes, driveways and limited crowding.



1600 TUBE GATE SPECIFICATIONS

Height Overall 52"
Horizontal Rails (6) 1.66" O.D., 16-gauge Tube
Hinges 3/4" x 12" Threaded-rod or 180° Flat
Latch33" Chain w/Keeper

Order No.	Description	No. Stays	Weight
Threaded-rod Hinge			
033-16004	4' Tube Gate	0	37 lbs.
033-16006	6' Tube Gate	0	51 lbs.
033-16008	8' Tube Gate	1	70 lbs.
033-16010	10' Tube Gate	1	83 lbs.
033-16012	12' Tube Gate	1	96 lbs.
033-16014	14' Tube Gate	2	116 lbs.
033-16016	16' Tube Gate	2	129 lbs.
180 Degree Hinge			
033-18004	4' Tube Gate	0	38 lbs.
033-18006	6' Tube Gate	0	51 lbs.
033-18008	8' Tube Gate	1	70 lbs.
033-18010	10' Tube Gate	1	84 lbs.
033-18012	12' Tube Gate	1	97 lbs.
033-18014	14' Tube Gate	2	116 lbs.
033-18016	16' Tube Gate	2	129 lbs.

POWDER RIVER BOW GATES ARE THE STRONGEST TOUGHEST BOW GATE MADE

- Best way to make portable corrals without the need for setting a post — fast to install
- Bow frames are built sturdy enough to handle the gate and keep it from sagging
- Connects to all Powder River panels in seconds



1600 Tube Bow Gate

For portable or permanent installations, our 1600 Tube Bow Gates have a single pin slide latch with keeper. This makes for optimum ease of use and safe animal confinement.




Classic Bow Gates

Ideal for free-standing portable systems. The Classic Bow Gate frame is made from a heavy schedule 40 pipe, while the bottom section is manufactured from a 7-gauge steel. Our Classic Gates are hung within the bow, making this the strongest Bow Gate on the market.

CLASSIC BOW GATE SPECIFICATIONS

Order No	Description	Dimension (8' High Bow, 52" High Gate)	Weight
028-00803	3' Classic Bow Gate	1 1/4" Sch. 40 Pipe	114 lbs.
028-00804	4' Classic Bow Gate	1 1/4" Sch. 40 Pipe	122 lbs.
028-00806	6' Classic Bow Gate	2" Sch. 40 Pipe	187 lbs.
028-00808	8' Classic Bow Gate	2" Sch. 40 Pipe	226 lbs.
028-00810	10' Classic Bow Gate	2 1/2" Sch. 40 Pipe	313 lbs.
028-00812	12' Classic Bow Gate	2 1/2" Sch. 40 Pipe	359 lbs.

CATTLE GUARDS



Designed to meet H-15, H-20, U-54 and U-80 specifications, these cattle guards are used and recommended by state and federal agencies. These guards are available in lengths of 8 feet, 10 feet, 12 feet and 14 feet. They can be installed end-to-end to meet your road width requirements. The H-15 and H-20 are also available in a 7-foot, 5-inch road length. Other options include a three rail clean out section (except on the U-80), end wings and steel posts.

CATTLE GUARD SPECIFICATIONS

Model H-15 (12 tons per axle)	Model H-20 (16 tons per axle)	Model U-54 (25 tons per axle)	Cattle Guard Accessories
036-15708 7'5" x 8'	036-20708 7' 5" x 8'	036-54808 8' x 8'	036-00050 Cattle Guard End Wing Set
036-15710 7'5" x 10'	036-20710 7' 5" x 10'	036-54810 8' x 10'	036-00090 Cattle Guard End Wing Post Set
036-15712 7'5" x 12'	036-20712 7' 5" x 12'	036-54812 8' x 12'	036-00220 Cattle Guard Tornado Lock Set
036-15714 7'5" x 14'	036-20714 7' 5" x 14'	036-54814 8' x 14'	Load Information H-15 12 tons per axle H-20 16 tons per axle U-54 25 tons per axle U-80 30 tons per axle <i>(includes a 30% safety factor for impact)</i>
036-15808 8' x 8'	036-20808 8' x 8'	Model U-54 (with clean out) 037-54808 8' x 8' 037-54810 8' x 10' 037-54812 8' x 12' 037-54814 8' x 14'	
036-15810 8' x 10'	036-20810 8' x 10'		
036-15812 8' x 12'	036-20812 8' x 12'		
036-15814 8' x 14'	036-20814 8' x 14'		
Model H-15 (with clean out)	Model H-20 (with clean out)	Model U-80 (30 tons per axle)	Standard cattle guards are painted green. Yellow painted cattle guards are available by special order.
037-15708 7'5" x 8'	037-20708 7' 5" x 8'	036-80808 8' x 8'	
037-15710 7'5" x 10'	037-20710 7' 5" x 10'	036-80810 8' x 10'	
037-15712 7'5" x 12'	037-20712 7' 5" x 12'	036-80812 8' x 12'	
037-15714 7'5" x 14'	037-20714 7' 5" x 14'	036-80814 8' x 14'	
037-15808 8' x 8'	037-20808 8' x 8'		
037-15810 8' x 10'	037-20810 8' x 10'		
037-15812 8' x 12'	037-20812 8' x 12'		
037-15814 8' x 14'	037-20814 8' x 14'		