

## **Pocket Fence Catalog**

BMD Brand Fencing Your Total Fencing Source



www.bmdusa.com/westernfencing

Table of Contents



| Building Material Distributors, Inc. |
|--------------------------------------|
| is proud to introduce our new        |
| fencing wire product line.           |



## BMD Brand Fencing Your Total Fencing Source

To serve all your fencing needs, BMD also distributes these widely recognized, quality brand names:

Keystone Steel & Wire Red Brand®

Davis Wire Corporation Ranch Hand®

|    | Western Fencing                  |    |
|----|----------------------------------|----|
|    | Guide to Easy Fence Selection    | 2  |
|    | Acreage Guide                    | 3  |
|    | Welded Wire                      | 4  |
|    | Green & Black PVC Welded Wire    | 5  |
|    | Poultry Netting                  | 6  |
|    | Aviary Netting                   | 7  |
|    | Hardware Cloth                   | 8  |
|    | Green & Black PVC Hardware Cloth | 9  |
|    | T-Posts & U-Posts                | 10 |
|    | Acreage Table                    | 11 |
|    | Keystone Steel & Wire            |    |
|    | Red Brand® Barbed Wire           | 13 |
|    | Red Brand® Fence Stays           | 13 |
|    | How to "Read" Red Brand® Fence   | 14 |
|    | Multi-Use Woven Field Fence      | 15 |
|    | Red Brand® Deer & Orchard        | 16 |
|    | Red Brand® "Non-Climb" Fence     | 17 |
|    | Yard, Garden & Kennel Fence      | 17 |
|    | Galvanized Electric Fence Wire   | 18 |
|    | Sheep & Goat Fence               | 18 |
|    | Keepsafe® Horse Fence            | 19 |
|    | <b>Davis Wire Corporation</b>    |    |
|    | Barbed Wire                      | 21 |
|    | Hinge Joint Field Fence          | 22 |
|    | Stiff Stay Field Fence           | 22 |
|    | Deer & Rabbit Fence              | 24 |
| ,, | Stablemesh – Horse Fence         | 24 |



## **Guide to Easy Fence Selection**

There are many types of fence and each is meant to perform a specific job. This guide will help you select the best fence to serve your needs.

#### **Mesh Design**

Fence is constructed by forming the wire into uniform patterns called "mesh." Each mesh design has been refined through years of experience and use.


#### SOUARED MESH

Wire is either welded to form squares or rectangles – vertical or horizontal. This mesh pattern is used mostly with heavier gauge wire.

HEXAGONAL MESH (commonly called netting) Made of a lightweight wire that is woven to form a hexagon.


#### Wire Gauge

Fencing is made from various gauges of wire – from very heavy to very light. The chart at the right shows you the size of each gauge (Ga.) wire used in making fencing. The larger the number, the smaller the wire.



## Acreage Guide

Use this diagram to calculate the number of rods/footage of fence required to enclose fields of different sizes.



10 rods = 165 ft. 20 rods = 330 ft. 1/4 mile = 1,320 ft. or 80 rods 1/2 mile = 2,640 ft. or 160 rods 1 mile = 5,280 ft. or 320 rods

## Welded Wire

Welded Wire (General Purpose Fabric) is a multi-purpose fence used for all types of farm and home applications. Some of the popular usages include cages, livestock panels, garden fencing and temporary pens. Solid welded construction ensures a sturdy fence design.

| Mesh<br>Spacing | Gauge | Roll<br>Height | Roll<br>Length | Roll<br>Weight |
|-----------------|-------|----------------|----------------|----------------|
| 2x4             | 121/2 | 36"            | 100′           | 72             |
| 2x4             | 121/2 | 48"            | 100′           | 96             |
| 2x4             | 121/2 | 60"            | 100′           | 119            |
| 2x4             | 121/2 | 72"            | 100′           | 141            |
| 1x2             | 14    | 24"            | 100′           | 62             |
| 1x2             | 14    | 36"            | 100′           | 94             |
| 1x2             | 14    | 48"            | 100′           | 122            |
| 1x2             | 14    | 60"            | 100′           | 155            |
| 1x1             | 14    | 24"            | 100′           | 84             |
| 1x1             | 14    | 36"            | 100′           | 125            |
| 1x1             | 14    | 48"            | 100′           | 164            |
| 2x4             | 14    | 36"            | 100′           | 48             |
| 2x4             | 14    | 48"            | 100′           | 64             |
| 2x4             | 14    | 60"            | 100′           | 80             |
| 2x4             | 14    | 72"            | 100′           | 96             |
| 1/2x1           | 16    | 24"            | 100′           | 76             |
| 1/2x1           | 16    | 36"            | 100′           | 114            |
| 1/2x1           | 16    | 48"            | 100′           | 151            |
| 1x1             | 16    | 24"            | 100′           | 50             |
| 1x1             | 16    | 36"            | 100′           | 75             |
| 1x1             | 16    | 48"            | 100′           | 101            |
| 2x2             | 16    | 24"            | 100′           | 26             |
| 2x2             | 16    | 36"            | 100′           | 39             |
| 2x2             | 16    | 48"            | 100′           | 52             |
| 2x2             | 16    | 60"            | 100′           | 64             |
| 2x4             | 14    | 36"            | 50′            | 24             |
| 2x4             | 14    | 48"            | 50′            | 32             |
| 2x4             | 14    | 60"            | 50′            | 40             |
| 2x4             | 14    | 72"            | 50′            | 48             |

#### **Green & Black PVC Welded Wire**

| Mesh<br>Spacing | Gauge | Roll<br>Height | Roll<br>Length | Roll<br>Weight |
|-----------------|-------|----------------|----------------|----------------|
| 2x4             | 14    | 36"            | 100′           | 48             |
| 2x4             | 14    | 48"            | 100′           | 64             |
| 2x4             | 14    | 60"            | 100′           | 80             |
| 2x4             | 14    | 72"            | 100′           | 96             |
| 2x4             | 14    | 36"            | 50′            | 24             |
| 2x4             | 14    | 48"            | 50′            | 32             |
| 2x4             | 14    | 60"            | 50′            | 40             |
| 2x4             | 14    | 72"            | 50′            | 48             |

# **Garden Fence** (Green Vinyl Coated)

| Mesh<br>Spacing | Gauge | Roll<br>Height | Roll<br>Length | Roll<br>Weight |
|-----------------|-------|----------------|----------------|----------------|
| 2x2-1/2         | 16    | 24"            | 25′            | 9              |
| 2x2-1/2         | 16    | 36"            | 50′            | 19             |
| 2x2-1/2         | 16    | 48"            | 50′            | 26             |



This fencing is ideal for poultry and pet pens, and many other home and garden projects. It provides predator-proof protection for domestic fowl and gardens.

The hexagon mesh is designed with reinforced supplemental horizontal wires to keep the netting straight and upright. Choose from 1" and 2" hex mesh sizes -150'-50'-25' lengths.

| Mesh<br>Spacing | Gauge | Roll<br>Height | Roll<br>Length | Roll<br>Weight |
|-----------------|-------|----------------|----------------|----------------|
| 1"              | 20    | 12"            | 150′           | 18             |
| 1"              | 20    | 18"            | 150′           | 24             |
| 1"              | 20    | 24"            | 150′           | 32             |
| 1"              | 20    | 36"            | 150′           | 46             |
| 1"              | 20    | 48"            | 150′           | 62             |
| 1"              | 20    | 60"            | 150′           | 77             |
| 1"              | 20    | 72"            | 150′           | 92             |
| 1"              | 20    | 12"            | 50′            | 6              |
| 1"              | 20    | 18"            | 50′            | 8              |
| 1"              | 20    | 24"            | 50′            | 11             |
| 1"              | 20    | 36"            | 50′            | 15             |
| 1"              | 20    | 48"            | 50′            | 21             |
| 1"              | 20    | 60"            | 50′            | 26             |
| 1"              | 20    | 72"            | 50′            | 31             |
| 1"              | 20    | 24"            | 25′            | 5              |
| 1"              | 20    | 36"            | 25′            | 8              |
| 1"              | 20    | 48"            | 25′            | 10             |
|                 |       |                |                |                |
| 2"              | 20    | 24"            | 150′           | 16             |
| 2"              | 20    | 36"            | 150′           | 23             |
| 2"              | 20    | 48"            | 150′           | 31             |
| 2"              | 20    | 60"            | 150′           | 38             |
| 2"              | 20    | 72"            | 150′           | 46             |
| 2"              | 20    | 24"            | 50′            | 5              |
| 2"              | 20    | 36"            | 50′            | 8              |
| 2"              | 20    | 48"            | 50′            | 10             |
| 2"              | 20    | 60"            | 50′            | 13             |
| 2"              | 20    | 72"            | 50′            | 15             |
| 2"              | 20    | 24"            | 25′            | 3              |
| 2"              | 20    | 36"            | 25′            | 4              |
| 2"              | 20    | 48"            | 25′            | 5              |

This galvanized woven fence is perfect for bird cages, topiary projects, temporary fence partitions, erosion and gopher control.

| Mesh<br>Spacing | Gauge | Roll<br>Height | Roll<br>Length | Roll<br>Weight |
|-----------------|-------|----------------|----------------|----------------|
| 1/2"            | 22    | 24"            | 100′           | 20             |
| 1/2"            | 22    | 36"            | 100′           | 30             |
| 1/2"            | 22    | 48"            | 100′           | 40             |
| 1/2"            | 22    | 72"            | 100′           | 66             |
| 1/2"            | 22    | 24"            | 25′            | 5              |
| 1/2"            | 22    | 36"            | 25′            | 8              |
| 1/2"            | 22    | 48"            | 25′            | 10             |
| 1/2"            | 22    | 72"            | 25′            | 17             |



## Hardware Cloth


Durable, multi-purpose mesh is ideal for garden use, workshop and home projects. It is also used for gopher and erosion control. This product is galvanized after fabrication.

| Mesh<br>Spacing | Gauge | Roll<br>Height | Roll<br>Length | Roll<br>Weight |
|-----------------|-------|----------------|----------------|----------------|
| 2x2             | 19    | 24"            | 100′           | 46             |
| 2x2             | 19    | 36"            | 100′           | 68             |
| 2x2             | 19    | 48"            | 100′           | 88             |
| 4x4             | 23    | 24"            | 100′           | 46             |
| 4x4             | 23    | 36"            | 100′           | 66             |
| 4x4             | 23    | 48"            | 100′           | 87             |
| 8x8             | 27    | 24"            | 100′           | 32             |
| 8x8             | 27    | 36"            | 100′           | 50             |
| 8x8             | 27    | 48"            | 100′           | 70             |
| 2x2             | 19    | 24"            | 10′            | 4              |
| 2x2             | 19    | 36"            | 10′            | 6              |
| 2x2             | 19    | 48"            | 10′            | 8              |
| 4x4             | 23    | 24"            | 10′            | 3              |
| 4x4             | 23    | 36"            | 10′            | 5              |
| 4x4             | 23    | 48"            | 10′            | 7              |
| 2x2             | 19    | 24"            | 5′             | 2              |
| 2x2             | 19    | 36"            | 5′             | 3              |
| 2x2             | 19    | 48"            | 5′             | 4              |
| 4x4             | 23    | 24"            | 5′             | 2              |
| 4x4             | 23    | 36"            | 5′             | 3              |
| 4x4             | 23    | 48"            | 5′             | 3.5            |

#### **Hardware Cloth Available in 3 Mesh Sizes** 4 x 4 Mesh

1/4" x 1/4"

| 2 x 2 l<br>1/2" x<br>Oper | 1/2" |
|---------------------------|------|
|                           |      |





8 x 8 Mesh

#### **Green & Black PVC Hardware Cloth**

| Mesh<br>Spacing | Gauge | Roll<br>Height | Roll<br>Length | Roll<br>Weight |
|-----------------|-------|----------------|----------------|----------------|
| 2x2             | 19    | 24"            | 100′           | 46             |
| 2x2             | 19    | 36"            | 100′           | 68             |
| 2x2             | 19    | 48"            | 100′           | 88             |
| 4x4             | 23    | 24"            | 100′           | 46             |
| 4x4             | 23    | 36"            | 100′           | 68             |
| 4x4             | 23    | 48"            | 100′           | 90             |



## T-Posts and U-Posts

| Lightweight T-Post | 5TPLWG     | 5′     |
|--------------------|------------|--------|
|                    | 56TPLWG    | 5-1/2" |
|                    | 6TPLWG     | 6′     |
|                    | 66TPLWG    | 6-1/2′ |
|                    | 7TPLWG     | 7′     |
|                    | 8TPLWG     | 8′     |
| Heavyweight T-Post | 5TPHW125G  | 5'     |
|                    | 56TPHW125G | 5-1/2′ |
|                    | 6TPHW125G  | 6′     |
|                    | 66TPHW125G | 6-1/2′ |
|                    | 7TPHW125G  | 7′     |
|                    | 8TPHW125G  | 8′     |
|                    | 9TPHW125G  | 9′     |
|                    | 10TPHW125G | 10′    |
| 133's T-Post       | 5TP133G    | 5'     |
|                    | 56TP133G   | 5-1/2′ |
|                    | 6TP133G    | 6′     |
|                    | 66TP133G   | 6-1/2′ |
|                    | 7TP133G    | 7′     |
|                    | 8TP133G    | 8′     |
|                    | 9TP133G    | 9′     |
|                    | 10TP133G   | 10′    |
|                    |            |        |

All T-Posts are sold per piece and in 5 piece bundle increments. There are 40 bundles or 200 T-Posts per pallet. Each T-Post comes with 5 clips at no charge. All T-Posts are Green with Ivory Tip.

| U-Post | 3UP | 3′ |
|--------|-----|----|
|        | 4UP | 4′ |
|        | 5UP | 5′ |
|        | 6UP | 6′ |

All U-Posts are sold per piece in 5 piece bundle increments. There are 30 bundles or 150 U-Posts per pallet. All U-Posts are solid green.

## Acreage Table

These are suggested guidelines.

| Acres | Fence<br>20 Rod<br>Rolls | Fence<br>100 Ft<br>Rolls | Barb Wire<br>80 Rod<br>Rolls<br>1 Strand |
|-------|--------------------------|--------------------------|--|
| 1     | 3                        | 9                        | 1  |
| 2     | 4                        | 12                       | 1  |
| 3     | 5                        | 15                       | 1  |
| 4     | 5                        | 17                       | 2  |
| 5     | 6                        | 19                       | 2  |
| 6     | 7                        | 21                       | 2  |
| 7     | 7                        | 22                       | 2  |
| 8     | 8                        | 24                       | 2  |
| 9     | 8                        | 25                       | 2  |
| 10    | 8                        | 26                       | 2  |
| 11    | 8                        | 28                       | 2  |
| 12    | 9                        | 29                       | 3  |
| 13    | 10                       | 31                       | 3  |
| 14    | 10                       | 31                       | 3  |
| 15    | 10                       | 33                       | 3  |
| 16    | 11                       | 34                       | 3  |
| 17    | 11                       | 35                       | 3  |
| 18    | 11                       | 36                       | 3  |
| 19    | 11                       | 37                       | 3  |
| 20    | 12                       | 38                       | 3  |
| 25    | 13                       | 42                       | 4  |
| 30    | 14                       | 46                       | 4  |
| 35    | 15                       | 50                       | 4  |
| 40    | 16                       | 53                       | 4  |
| 45    | 17                       | 56                       | 5  |
| 50    | 18                       | 60                       | 5  |
| 55    | 19                       | 62                       | 5  |
| 60    | 20                       | 65                       | 5  |

| Acres | Fence<br>20 Rod<br>Rolls | Fence<br>100 Ft<br>Rolls | Barb Wire<br>80 Rod<br>Rolls<br>1 Strand |
|-------|--------------------------|--------------------------|--|
| 65    | 21                       | 68                       | 6  |
| 70    | 22                       | 70                       | 6  |
| 75    | 22                       | 73                       | 6  |
| 80    | 23                       | 75                       | 6  |
| 85    | 24                       | 77                       | 6  |
| 90    | 24                       | 80                       | 6  |
| 95    | 25                       | 82                       | 7  |
| 100   | 26                       | 84                       | 7  |
| 105   | 26                       | 86                       | 7  |
| 110   | 27                       | 88                       | 7  |
| 115   | 28                       | 90                       | 7  |
| 120   | 28                       | 92                       | 7  |
| 125   | 28                       | 94                       | 7  |
| 150   | 31                       | 103                      | 8  |
| 175   | 34                       | 111                      | 8  |
| 200   | 36                       | 118                      | 9  |
| 225   | 38                       | 126                      | 10                                       |
| 250   | 40                       | 132                      | 10                                       |
| 275   | 42                       | 139                      | 11                                       |
| 300   | 44                       | 145                      | 11                                       |
| 325   | 46                       | 151                      | 12                                       |
| 350   | 48                       | 157                      | 12                                       |
| 375   | 49                       | 162                      | 13                                       |
| 400   | 51                       | 167                      | 13                                       |
| 425   | 53                       | 173                      | 13                                       |
| 450   | 54                       | 177                      | 14                                       |
| 475   | 56                       | 182                      | 14                                       |



Red Brand® – Standing guard since 1889. "The most respected name in farm fence."

Other Keystone/Red Brand® products are available for order but may not be stocking items. Please call for inquires on any item not listed under the Keystone/Red Brand® line of products.

#### Special Order Items:

- King Ranch® Fence
- Cross Lock® Fencing
- Stockade Panels
- Deer & Wildlife Fence

For a complete list of Red Brand fencing products, please consult your BMD Full-Line Catalog or log on to www.redbrand.com.

### Red Brand® Barbed Wire

#### **Available in different styles:**

Ruthless® – 4-point barb style, 12-1/2 gauge, Class I galvanized, 5" barb spacing. Designed to confine the



#### Defender® - 2-point barb style, 12-1/2 gauge, Class I galvanized.

| Description    | Gauge  | Barb<br>Style | Barb<br>Spacing | Reel<br>Length | Reel<br>Weight |
|----------------|--------|---------------|-----------------|----------------|----------------|
| 80 Ruthless    | 12-1/2 | 4 pt.         | 5″              | 1,320′         | 83             |
| 50 Defender    | 12-1/2 | 2 pt.         | 4"              | 1,320′         | 78             |
| Barbless Cable | 12-1/2 |               |                 | 1,320′         | 68             |

#### High Tensile® – 2 and 4-point barb style, 15-1/2 gauge, Class 3, galvanized.

| Description  | Gauge  | Barb<br>Style | Barb<br>Spacing | Reel<br>Length | Reel<br>Weight |
|--------------|--------|---------------|-----------------|----------------|----------------|
| High Tensile | 15-1/2 | 4 pt.         | 5″              | 1,320′         | 42             |
| High Tensile | 15-1/2 | 2 pt.         | 5"              | 1,320′         | 44             |

## Red Brand® Fence Stays

Galvanized spiral fence stays keep barbed wire lines trim and evenly spaced.


| Length | Gauge | Stays Per Bundle | Bundle Weight |
|--------|-------|------------------|---------------|
| 36"    | 9-1/2 | 100              | 35            |
| 42"    | 9-1/2 | 100              | 40            |
| 48"    | 9-1/2 | 100              | 46            |



#### How to "Read" Red Brand® Fence

Look for the style number, which is a quick description of the important dimensions of the fence it classifies.

**Example:** Style #1047-6-12-1/2, **10** number of line wires, **47** inches in height, **6"** spacing between vertical stay wires, **12-1/2** wire gauge



#### "Knots" Make a Fence!

Many heavy gauge wire fence styles are made by "tying" sections of wire together with "knots." Red Brand uses two types of knots, each with a specific advantage in use.

#### RED BRAND® EXCLUSIVE SOUARE DEAL® KNOT.

This construction prevents fence from buckling or sagging. It provides extra vertical strength and rigidity while allowing flexibility for ideal installation over hilly terrain. One-piece vertical stay wires are tied to line wires and crimped at the joint to prevent slippage.

#### UNIQUE MONARCH® KNOT.

This knot acts as a hinge that gives under pressure, then springs back into shape. Monarch fence is easy to install because the hinge "gives." The fence always retains its full height for continuing protection and good looks. Vertical wires are individually cut and wrapped for maximum strength flexibility.

### Multi-Use Woven Field Fence

Field Fence is available in different heights with your choice of the Square Deal® Knot or the Monarch® Knot. An all terrain graduated fencing, ideal for rolling hilly areas, corrals and pastures.

**Red Brand® Field Fence** - Monarch® Knot (*Hinge Joint*)

Class I / 10 gauge top & bottom wires (20 Rod Roll – 330')

| Style #       | Gauge  | Fence Height | Roll Weight |
|---------------|--------|--------------|-------------|
| 939-6-12-1/2  | 12-1/2 | 39"          | 169         |
| 1047-6-12-1/2 | 12-1/2 | 47"          | 192         |

**Red Brand® Field Fence** – Square Deal® Knot (Stiff Stay)

Class I / 10 gauge top & bottom wires (20 Rod Roll – 330')

| Style #       | Gauge  | Fence Height | Roll Weight |
|---------------|--------|--------------|-------------|
| 832-6-12-1/2  | 12-1/2 | 32"          | 148         |
| 939-6-12-1/2  | 12-1/2 | 39"          | 158         |
| 1047-6-12-1/2 | 12-1/2 | 47"          | 179         |



#### **Deer & Orchard Fence**


This fence offers ideal protection against deer and elk, keeping predators out of orchards, vineyards and gardens. The unique design has wider spacing at the top and closer spacing at the bottom, so fencing can't be penetrated by small animals.

#### Red Brand® Deer & Orchard Fence

- Monarch® Knot (Hinge Joint)

Class I / 11 gauge top & bottom wires (10 Rod Roll – 165')

| Style #       | Gauge  | Fence Height | Roll Weight |
|---------------|--------|--------------|-------------|
| 2048-6-14-1/2 | 14-1/2 | 48"          | 87          |
| 2360-6-14-1/2 | 14-1/2 | 60"          | 101         |
| 2672-6-14-1/2 | 14-1/2 | 72"          | 115         |





Orchard Fence



Yard, Garden & Kennel Fence

#### "Non-Climb" Horse Fence

This closely-woven 2" x 4" vertical mesh pattern has been specifically designed to prevent horses, cows or hoofed animals from "stepping through" or "walking down" the fence. Features the Square Deal® Knot.

## **Red Brand® Non-Climb Horse Fence** – Square Deal® Knot (Stiff Stay)

Class I / 10 gauge top & bottom wires (100' Rolls)

| Style #       | Gauge  | Fence Height | Roll Weight |
|---------------|--------|--------------|-------------|
| 1036-2-12-1/2 | 12-1/2 | 36"          | 92          |
| 1348-2-12-1/2 | 12-1/2 | 48"          | 120         |
| 1660-2-12-1/2 | 12-1/2 | 60"          | 148         |
| 1972-2-12-1/2 | 12-1/2 | 72"          | 177         |

## Yard, Garden & Kennel Fence

This 2" x 2" mesh safeguards yards, toddlers and pets. This fence is strong yet lightweight, making it ideal for kennel fencing. Easy-to-handle and features the exclusive Square Deal® Knot. Yard, Garden & Kennel fence is an economical alternative to costly chain link fence.

#### Yard, Garden & Kennel Fence – Square Deal® Knot (Stiff Stay)

Commercial (100' Rolls)

| Style #    | Gauge       | Fence Height | Roll Weight |
|------------|-------------|--------------|-------------|
| 1936-2-16  | 16          | 36"          | 51          |
| 2548-2-16  | 16          | 48"          | 66          |
| 3160-2-16  | 16          | 60"          | 83          |
| 3772-2-16  | 16          | 72"          | 104         |
| Commercial | (50' Rolls) |              |             |
| 1936-2-16  | 16          | 36"          | 25          |
| 2548-2-16  | 16          | 48"          | 33          |

### Galvanized Electric Fence Wire

Ideal for adding extra security to existing systems for changeable confinement operations. Galvanized for resistance to rust and corrosion. Available in handy dispensing spools.

#### **Electric Fence Wire**

| Gauge | Spool Length | Spools Per Carton | Carton Weight |
|-------|--------------|-------------------|---------------|
| 14    | 1/4 Mile     | 2                 | 44            |
| 14    | 1/2 Mile     | 2                 | 88            |
| 17    | 1/4 Mile     | 4                 | 40            |
| 17    | 1/2 Mile     | 2                 | 40            |

## **Sheep & Goat Fence**

Unique 4" x 4" mesh spacing provides strong confinement and prevents animals from putting their heads through the fence. The exclusive



Square Deal® Knot provides extra strength and rigidity while allowing flexibility for easy installation on flat or hilly terrain.

#### Red Brand® Sheep & Goat Fence -

Square Deal® Knot (Stiff Stay)

Class 1 (100' Rolls)

| Style #       | Gauge  | Fence Height | Roll Weight |
|---------------|--------|--------------|-------------|
| 1348-4-12-1/2 | 12-1/2 | 48"          | 79          |


## Keepsafe® Horse Fence

Closely spaced, 2" x 4" diamond-mesh construction gives this fence linear strength and springy texture to protect horses from injury and prevent predators from entering paddocks and pastures.



## Durable and Protective 2" x 4" Diamond Weave

Features heavy, twisted horizontal cables, each cable consisting of two wires on 4" spacing from ground to top. Vertical wires, securely wrapped around each horizontal cable, run diagonal to make a diamond pattern and thus form the strongest fence construction known. The wire is galvanized to avoid corrosion.



#### Red Brand® Keepsafe® Horse Fence

Class 1 (165' Rolls)

| Style/Height | Horizontal Gauge | Vertical Gauge | Roll Weight |
|--------------|------------------|----------------|-------------|
| 50"          | 12-1/2           | 14             | 250         |
| 58"          | 12-1/2           | 14             | 294         |

#### B M D P R E S E N T S

Davis Wire Corporation – Ranch Hand® Farm Fencing



Developing the West... and Beyond

Other Davis Wire – Ranch Hand and Gold Brand products are available for order but may not be stocking items. Please call for inquires on any items not listed under the Davis Wire – Ranch Hand/Gold Brand line of products.

#### Special Order Items:

- V-Mesh
- Ornamental Fence
- High Tensile Field Fence
- Gold Brand Class 3 Field Fence
- Gold Brand Class 3 Stablemesh
- Baler Wire
- Vineyard Wire

For a complete list of Davis Wire fencing products, please consult your BMD Full-Line Catalog or log on to www.daviswire.com.

### **Barbed Wire**

Ranch Hand is available in 2 pt. 5", 4pt. 5" and barbless and made of galvanized steel to endure the tests of time and weather.

#### Ranch Hand Barbed Wire -

Commercial Galvanized

| Description | Gauge  | Barb<br>Style | Barb<br>Spacing | Reel<br>Length | Reel<br>Weight |
|-------------|--------|---------------|-----------------|----------------|----------------|
| Ranch Hand  | 12-1/2 | 4 pt.         | 5"              | 1,320′         | 83             |
| Ranch Hand  | 12-1/2 | 2 pt.         | 5"              | 1,320′         | 76             |
| Barbless    | 12-1/2 | n/a           | n/a             | 1,320′         | 68             |




20 CALL TO ORDER: **800-447-0397** 21

## Hinge Joint Field Fence

Flexible Hinge Joint knot gives Ranch Hand® woven field fence its unique ability to spring back into shape. Heavy livestock, falling tree limbs and fence-jumping critters like deer make this fence the rancher's first choice.

## Ranch Hand® – Field Fence (Hinge Joint Knot)

Commercial Galvanized/ 10 gauge top & bottom wires (20 Rod Roll – 330')



| Left to right:  |
|-----------------|
| Ranch Hand      |
| Deer & Rabbit   |
| Fence,          |
| Stablemesh -    |
| Horse Fence     |
| and Hinge Joint |
| Field Fence     |



| Style #       | Gauge  | Fence Height | Roll Weight |
|---------------|--------|--------------|-------------|
| 939-6-12-1/2  | 12-1/2 | 39"          | 169         |
| 1047-6-12-1/2 | 12-1/2 | 47"          | 192         |

## Stiff Stay Field Fence

The Stiff Stay knot keeps its shape over hilly ground. Tough, sturdy construction stands up to impact from large animals without buckling or sagging. One piece vertical stay wires are tied to line wires and crimped at the joints to prevent slippage.

## **Silverado – Field Fence** (Stiff Stav Knot)

Commercial Galvanized/ 10 gauge top & bottom wires (20 Rod Roll – 330')

| Style #                               | Gauge  | Fence Height | Roll Weight |
|---------------------------------------|--------|--------------|-------------|
| 832-6-121/2                           | 12-1/2 | 32"          | 148         |
| 939-6-121/2                           | 12-1/2 | 39"          | 168         |
| 1047-6-12 <sup>1</sup> / <sub>2</sub> | 12-1/2 | 47"          | 190         |




23

22 CALL TO ORDER: 800-447-0397

#### Deer and Rabbit Fence

This fence keeps large and small predators out of gardens and orchards. Close spacing of line wires at the bottom of the fence keeps rabbits and other small animals away too. Stiff Stay knot gives Deer and Rabbit Fence extra rigidity, and the galvanized coating affords protection against corrosion.



### Ranch Hand® Deer & Rabbit Fence

- (Stiff Stay Knot)

Commercial Galvanized/11 gauge top & bottom wires (10 Rod Roll – 165')

| Style #       | Gauge  | Fence Height | Roll Weight |
|---------------|--------|--------------|-------------|
| 2048-6-14-1/2 | 14-1/2 | 48"          | 87          |
| 2360-6-14-1/2 | 14-1/2 | 60"          | 101         |
| 2672-6-14-1/2 | 14-1/2 | 72"          | 115         |

#### Stablemesh – Horse Fence

Traditional horse fence is woven with a Stiff Stay knot and is smooth on both sides to protect animals while keeping the fence rigid. Keeps valuable horses secure.

Durable, galvanized construction last for years.

## Ranch Hand® – Stablemesh – Horse Fence (Stiff Stay Knot)

Commercial Galvanized/10 gauge top & bottom wires (100' Rolls)

| Style #       | Gauge  | Fence Height | Roll Weight |
|---------------|--------|--------------|-------------|
| 1036-2-12-1/2 | 12-1/2 | 36"          | 96          |
| 1348-2-12-1/2 | 12-1/2 | 48"          | 125         |
| 1660-2-12-1/2 | 12-1/2 | 60"          | 153         |
| 1972-2-12-1/2 | 12-1/2 | 72"          | 182         |

For questions or ordering information please contact our Ag Products Specialist:



Building Material Distributors, Inc. **800-447-0397** www.bmdusa.com/westernfencing



Building Material Distributors, Inc. 225 Elm Avenue Galt. CA 95632

Corporate Headquarters 800-356-3001

www.bmdusa.com/westernfencing

